

MOTIP Gasket Remover

Ord.-no.: 090403

Technical Information



Remove dried adhesives and seals, as well as hardened sealing material quickly and easily from car and machine parts with MOTIP Gasket Remover. Suitable for Cylinder heads, gearboxes, exhausts, carters, plumbing, water and oil pumps and electric motors. MOTIP Gasket Remover has excellent dissolving properties, is non-conductive, non-corrosive, is highly viscous, and user-friendly with a precise spray.

Quality & properties

- Optimum effect in view of high viscosity
- Slight gel structure
- High dissolving properties
- Non-conductive and non-corrosive
- Directed jetspray
- 360° valve
- User-friendly

Physical & chemical data

- Base: Methylal
- Colourname: Transparent
- Surfaces: Cylinder Heads, Gear Boxes, Exhausts, Crankcases, Sanitary Fittings, Water and oil pumps, Electro engines
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Spray rate: 1,0 - 1,5
- Vapour pressure: 3500/20 bar
- Flash point: n.a. °C
- Relative density: 0.75 g/ml
- Storage stability: 10 years
- Content: 500 ML

How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The aerosol should have room temperature.
- Best processing temperature 10 to 25°C.
- Before use, shake the aerosol.
- Cover lacquered and plastic parts.
- Apply in an equal layer on the parts to be treated and allow to take effect for approximately 10 minutes.
- Carefully remove the dissolved residues with a filling-knife. With persistent contamination, repeat the treatment.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of November 24, 2021 – This release replaces all eventually earlier issued versions.